

# INDEX

## SYMBOLS

- \$() shortcut for jQuery() function 296, 299, 313, 361
- \$() conflicts with other scripts that use \$() 361
- \$(document).ready(function(){...}) 312
- \$(function(){...}) (shortcut) 313, 364-5
- \$(this) 324, 549
- [] Array syntax 72
- [] Accessing an object's properties 103
- { } Code blocks 57
- { } Code block (function) 90
- () Final parentheses (calling a function) 97
- () Grouping operator 97
- = Assignment operator 107
- += Operator (adding to a string) 111, 125
- == Equal to (comparison operator) 150, 168
- === Strict equal to (comparison operator) 150, 168
- != Not equal to (comparison operator) 150, 168
- !== Strict not equal to (comparison operator) 150, 168
- > Greater than (comparison operator) 151
- >= Greater than or equal to (comparison operator) 151
- < Less than (comparison operator) 151
- <= Less than or equal to (comparison operator) 151
- && Logical and (logical operators) 157, 158, 537
- ! Logical not (logical operators) 157, 159
- || Logical or (logical operators) 157, 159, 169
- . Member operator 50, 103
- // (No http: in a url) 355

## A

- .abort() method (jqXHR object) 389
- Accessibility 46, 491
- Accordion 430, 492-5, 522-5
- .accordion() (jQuery UI method) 430
- action (DOM property - forms) 572
- add() (option to select box) 584
- .add() (jQuery method) 531
- .addClass() (jQuery method) 320, 498, 512-3, 519, 565
- addEventListener() (DOM method) 254-5, 570-1
- Adding or removing HTML Content
  - Comparing techniques 226-7
  - innerHTML & DOM manipulation 218-225, 240-1
  - Using jQuery 314-9, 346-7

- Addition 76-7, 181
- .after() (jQuery method) 318-9
- Age verification 617-9
- Ajax
  - Introduction to 370-3
  - Data formats
    - HTML 374, 378-9, 390-1
    - JSON 374, 376-7, 382-3, 396-7
    - XML 374-5, 380-1
  - Forms 394-5
    - .serialize() (jQuery method) 394
  - jqXHR object (see J > jqXHR object)
  - JSON object (see J > JSON > JSON object)
  - Relative URLs 389
  - Requests (loading data):
    - CORS (Cross Origin Resource Sharing) 384
    - HTML 378-9
    - HTML (jQuery) 390-1, 393
    - JSON 382-3
    - JSON/JSONP from a remote server 385-8
    - Proxy for loading remote content 384
    - XML 380-1
    - jQuery 388-9, 392-3
      - .load() 390-1, 407, 427
      - \$.ajax() 388, 398-9, 405
      - \$.get() 392-3
      - \$.getJSON() 392, 396-7
      - \$.getScript() 392
      - \$.post() 392, 394-5
  - Responses 373-391
  - Update URL 424-7
  - URLs (maintaining) 424-7
  - XMLHttpRequest object
    - Methods
    - open(), send() 372-3
    - Properties
    - responseText 379, 383, 389
    - responseXML 380-2, 389
    - status 373, 378-9, 389
  - XDomainRequest object (IE8-9) 384
- Alert box 125
- alert() (window object) 124-5
- .always() (jqXHR object) 389, 396-7
- AngularJS 428, 434-9
- .animate() (jQuery method) 332, 334-5, 352-3, 493, 515, 520-1
- Anonymous functions 88, 96

## APIs

*Introduction to* 410, 412

API Keys 441

Console API 470

HTML5 APIs 413

Geolocation API 416-9

History API 424-7

Web Storage API 420-3

Platform APIs 440

Google Maps API 441-7

## Scripts

*Introduction to* 428

AngularJS 434-9

jQuery UI 429-433

`.append()` (jQuery method) 318, 565

`.appendTo()` (jQuery method) 318, 505, 519

`appendChild()` (DOM method) 222, 240

Arguments 93, 109

Arithmetic operators 76-7

## Arrays

*Introduction to* 70-3

Adding and removing items 530, 536-7, 540-3

Creating 72

`split()` method (String object)

to create arrays 128-130, 546-7, 563, 618-9

Looping through an array 174-5, 535

Methods

`concat()` 530

`every()` 530

`filter()` 530, 536-7

`forEach()` 530, 536-7

`map()` 530

`pop()` 530

`push()` 530, 536-7, 540-3

`reverse()` 530, 564-5

`shift()` 530

`some()` 530

`sort()` 530, 554-9, 564-5

`unshift()` 530

Properties

Length property 72, 118-9

## Arrays and objects

Arrays are objects 118-9

Array-like objects (jQuery) 308, 340

Arrays of objects 119, 533-5

Multiple return values from a function 95

vs variables and objects 116-7

Assignment operator 61, 107

Asynchronous loading (images) 509

Asynchronous processing 371

`attachEvent()` (IE8 event model) 255, 258-9, 570-1

Cross-browser solution 570-1

Attributes

`.attr()` (jQuery method) 320-1

Creating / removing (DOM method) 232-5

Autocomplete (live search) 370

## B

`back()` (history object) 426

`.before()` (jQuery method) 318

`beforeunload` event 286-7

Behavior layer 44

Binding events 248, 250

`blur()` (DOM method) 573

`blur` event 247, 274-5, 282, 573, 588-9

Boolean data type 62, 66

`break` keyword 174

## Browsers

Developer tools

Debugging 464-7

Examining DOM 236-7

Dimensions 124-5, 350

Feature detection (see F > Feature detection)

JavaScript console 464-79 (see also C > Console)

Rendering engine 40

Scrollbars 350

Support in examples 10

## Browser Object Model

*Introduction to* 121-2

history object 122, 124-5, 424-7

location object 122

navigator object 122

screen object 122, 124-5

window object 122, 124-5

Bubbling (event flow) 260-1

Built-in objects 120-7

`:button` (jQuery selector) 342

## C

- Caching
  - Cross-references 540-1
  - DOM queries 190-1, 575
  - Images (in custom object) 509-511
  - jQuery selections 308-9, 540-1
  - Object references 540-1
- Calling a function 91
- cancelable property (event object) 262
- Capturing (event flow) 260-1
- Case sensitivity 56
- catch (error handling) 480-1, 576-7
- CDN 354-5
- ceil() (Math object) 134
- Centering images 511
- Chaining (jQuery methods) 311
- change event 247, 282, 573, 576-7, 586-7
- Character count 588-9
- charAt() (String object) 128-130
- Checkboxes 580-1
  - :checkbox (jQuery selector) 342
  - :checked (jQuery selector) 342
  - checked (DOM property - forms) 573, 580-1
- .children() (jQuery method) 336
- clearTimeout() (window object) 517-9
- .click() (jQuery method) 512-3
- click() (DOM method) 573
- click event 39, 246, 276-7, 573
- clientX, clientY (event object) 278-9
- .clone() (jQuery method) 346-7
- .closest() (jQuery method) 336
- Code blocks 56, 90
- Code dependencies 616
- Code reuse 616
- Collections
  - elements (nodeLists) 196-9
  - elements (form) 572, 600
- Color picker 591
- Comments 57
- Compare functions (sorting) 555-9
- Comparison operators 150-9
  - Checking equality 168
  - Comparing expressions 154-5
  - Operands 152
  - Truthy and falsy values 167
- concat() (array object) 530
- Conditional loading 596-7
- Conditional statements 149
  - if 160-1, 181
  - if...else 162-3
  - switch 164-5, 291
- Conditions (loops) 170-1
- Console
  - Breakpoints 476-8
  - console.assert() 475
  - console.error() 472
  - console.group() 473
  - console.groupEnd() 473
  - console.info() 472
  - console.log() 470-1
  - console.table() 474
  - console.warn() 472
  - debugger keyword 479
- Constructor notation 106-111, 113
- :contains() (jQuery selector) 338
- Content layer 44
- Content panels
  - Accordion 492-5, 522-5
  - Modal window 500-5
  - Photo viewer 506-513
  - Slider 515-520
  - Tabs 496-9
- continue keyword 174, 594-5
- Coordinates (geolocation API) 417-9
- copy event 247
- CORS (Cross Origin Resource Sharing) 384
- Create attributes (DOM) 234
- Create elements (DOM) 126, 222-3, 240
- Create text nodes (DOM) 126, 222-3, 240
- Cross-Site Scripting (XSS) Attacks 228-231
- .css() (jQuery method) 322-3, 504-5, 510-1, 521
- CSS
  - Box dimensions 348
  - CSS-style selectors in jQuery 302-3
  - Properties and values 9
  - Selectors to find elements (DOM) 193, 197, 202
  - Updating class names 189, 195, 232
  - Updating id attributes 189, 232
  - Updating styles (DOM) 195, 232
  - Updating styles (jQuery) 320-3, 497-9
- Cut, copy, paste element (jQuery) 346-7
- cut event 247

## D

`.data()` (jQuery method) 546-7, 565, 602, 608-9

`data-*` attributes (HTML5) 289-90, 544-6, 608

Data binding (Angular) 437

Data models

*Introduction to* 26-7

Comparing techniques 116-7

Arrays and objects 118-9, 533

Objects and properties 28, 102-5, 142

Data types

Complex data types

Objects (Arrays and functions) 131

Simple (primitive) data types

Boolean 62, 131, 167

Number 62, 131-5

Null 131

String 62, 128-130, 131

Undefined 131

Type coercion and weak typing 166-7

Dates / Date object

*Introduction to* 136-9

Comparing 618-9

Creating / Constructor 136, 138, 143

Date formats 136-9

Date pickers 432-3, 591, 618-9

Day & month names 137, 143

Difference between two dates 139, 143

Sorting 559, 562-3

Methods

`getTime()`, `getMilliseconds()`, `getSeconds()`,  
`getMinutes()`, `getHours()`, `getDate()`, `getDay()`,  
`getMonth()`, `getFullYear()`,  
`getTimeZoneOffset()` 137

`setTime()`, `setMilliseconds()`, `setSeconds()`,  
`setMinutes()`, `setHours()`, `setDate()`,  
`setMonth()`, `setFullYear()`, `toString()`,  
`toTimeString()`, `toDateString()` 137

`dblclick` event 246

Debugging

Errors and a debugging workflow 462-3

Tips 484

(see also *Console and Troubleshooting*)

Declare a variable 60-1

Declaring an array 71-3

Declaring a function 90, 92

`defaultChecked` (DOM property - forms) 573

`defaultValue` (DOM property - forms) 573

Delays

`clearTimeout()` 517-9

`.delay()` (jQuery method) 311, 332-3, 364

`setTimeout()` 517-9

Delegating events 266-70, 290-1, 331

`delete` keyword 107, 112, 533

Deserializing JSON data 382-3

Design patterns 501

`.detach()` (jQuery method) 346, 502-3, 505

Developer tools 236-7, 464-5

`:disabled` (jQuery selector) 342

`disabled` (DOM property - forms) 573, 578

`disabled` (JavaScript is disabled) 491

document object

*Introduction to* 36-9, 123, 126-7

Events

`load` 39, 246, 272-3

Methods

`getElementById()` 39, 126, 193-195

`createElement()`, `createTextNode()` 126, 222-3

`querySelectorAll()` 126, 193, 197, 202, 204-5

`write()` 39, 49, 126, 226

Properties

`domain` 126

`lastModified` 36, 39, 126-7

`title` 36, 39, 126-7

URL 126-7

`DOMContentLoaded` event 286-7

DOM (document object model)

*Introduction to* 121, 126-7, 184, 186-7

Elements

Accessing

`getElementById()` 193-5

`getElementsByClassName()` 193, 197-9, 200

`getElementsByTagName()` 193, 197, 201

`querySelector()` 193-4, 202-3

`querySelectorAll()` 193, 197, 202-3, 204-5

Adding

`appendChild()` 222-3

`insertBefore()` 222, 240

Creating

`createElement()` 222-3

Updating

DOM manipulation 219, 222-5, 227

`innerHTML` 218, 220-1, 227, 228-31

`textContent` and `innerText` 216

- Attributes
  - `className` attribute/`className` property 195, 232
  - getting and updating 232-5
  - `id` property 232
- Text nodes
  - `createTextNode()` 222
  - `nodeValue` 214-5
  - `textContent` and `innerText` 216-7
- Document nodes 186
- document object (see D > document object)
- DOM queries
  - Performance (fastest route) 192
  - Caching DOM queries 190-1, 575
- DOM tree
  - Introduction to* 40-1, 186-7
  - Inspecting (exploring - browser tools) 236-7
  - Traversing the DOM 208, 210-11
  - Updating 212-3
- Events (see E > Events)
  - Event handlers 250, 252-3
  - Event listeners 250, 254-5, 263, 265
- Nodes 40, 186-9
  - Whitespace 209-211
- NodeList 192, 196-9, 202-205
  - `length` property 196
  - Live and static NodeLists 196
  - Looping through 204-5
  - Selecting items from a NodeList 198-9
- `.done()` (jqXHR object) 389, 405
- Dot notation 103 (see also member operator)
- Do while loops 170, 177
- Drop-down boxes 584-7
- DRY principle (don't repeat yourself) 616
- Dynamic filtering 538-43

## E

- `.each()` (jQuery method) 324-5, 333, 339, 498-9, 519, 531, 546-7
- ECMAScript 532
- Elements (see D > DOM > Elements and J > jQuery)
  - Dimensions (jQuery) 348-9
  - Finding elements (DOM) 192-203
  - Finding elements (jQuery) 296, 302-3, 336, 342
  - Form element content (jQuery) 342-5
  - Hiding/showing 332-3, 582-3, 618-9
  - Inserting new elements (jQuery) 318-9

- Updating elements (DOM) 212-3
- Updating elements (jQuery) 313
- elements collection (DOM property) 572, 574-5
- `.empty()` (jQuery method) 346, 504-5
- `:enabled` (jQuery selector) 342
- `.eq()` (jQuery method) 340-1, 512-3, 521
- Equality 150-1, 168
- equals sign (assignment operator) 61
- Errors
  - Common errors 460-1, 485
  - Debugging workflow 462-3 (and tips 484-5)
  - error event 246, 272
  - Error handling 480-1, 576-7
  - Error objects 459, 461, 481
    - `EvalError` 459-460
    - `RangeError` 459, 461
    - `ReferenceError` 459-60
    - `SyntaxError` 459-60
    - `TypeError` 459, 461
    - `URIError` 459-60
  - Exceptions 458, 480-1
  - NaN 461
  - Understanding errors 458
- e (shorthand: event or error object) 328
- `EvalError` 459-460
- Evaluating conditions 149-59
- Events
  - Introduction to* 5, 30-31, 244-50
  - All events
    - `beforeunload` 286-7
    - `blur` 247, 274-5, 282
    - `change` 282-3, 586-7
    - `click` 260-1, 268-9, 276-7
    - `dblclick` 246, 276
    - `DOMContentLoaded` 286-7
    - `DOMNodeInserted` 284, 285
    - `DOMNodeInsertedIntoDocument` 284
    - `DOMNodeRemoved` 284
    - `DOMNodeRemovedFromDocument` 284
    - `DOMSubtreeModified` 284
    - error 246, 272
    - `focus` 274-5, 282, 588-9, 594-5
    - `focusin` 274
    - `focusout` 274
    - `hashchange` 286, 426-7
    - `input` 247, 271, 280-2, 552-3, 573, 588-9

*Events continued.*

- keydown 280
- keypress 280-1
- keyup 280
- load 39, 246, 272-3
- mousedown 276
- mousemove 276, 279
- mouseout 276
- mouseover 276
- mouseup 276
- resize 272, 504-5
- scroll 272
- submit 282-3, 572, 574-5
- unload 272

binding 248, 250

Delegation (DOM) 266, 268-71, 290-1

Delegation (jQuery) 330-1, 365

Determining position 278-9

Event flow (bubbling and capturing) 260-1

Event handlers

- Cross browser 570-1
- DOM Event handlers 250, 252-3
- DOM Event listeners 250, 254-5
  - Removing event listeners 255
  - Using parameters with events 256-7, 263
- HTML event handlers 250-1

event object DOM 262-3, 265-70

Methods

- preventDefault() 262, 267, 283
- stopPropagation() 262, 267

Properties

- cancelable, clientX, clientY, pageX, pageY, screenX, screenY, target, type 262, 278-9

event object (jQuery) 328-9, 331

Methods

- .preventDefault() 328
- .stopPropagation() 328

Properties

- data, pageX, pageY, target, timeStamp, type, which 328

IE8 event model

- attachEvent() 255, 258-9, 290
- Cross-browser helper function 570-1
- event object 264-5, 570-1
  - Property and method equivalents 262
- Fallback example 258-9
- jQuery (consider as alternative) 300-1

- jQuery events 326-331, 343
- Performance (delegation) 266, 268-9, 290, 331
- Terminology (fired, raised, triggered) 247
- Types of event 246-7, 271
  - W3C DOM 271-286
  - HTML5 286-7
  - jQuery events 326-331, 343-5
  - Which element user interacted with 262-70
- every() (array object) 530
- Exceptions (see Errors)
- Execution contexts 453-6
- Expressions 74-6
  - Comparing expressions 154
  - Function expressions 96-7

## F

- .fadeIn() (jQuery method) 298, 311, 332-7, 365
- .fadeOut() (jQuery method) 332-3, 337, 510-11
- .fadeTo() (jQuery method) 510-11
- .fail() method (jqXHR object) 389, 396-7, 405
- Falsy and truthy values 167-9
- Feature detection
  - Feature detection (in jQuery) 301
  - Modernizr 414-5, 417, 419, 593, 596-7
- :file (jQuery selector) 342
- File extension
  - .js 46
  - .min.js 298
- Filtering
  - Introduction to 534
  - filter() (array object) 530, 536-7
  - .filter() (jQuery method) 338-9, 343, 531, 548-9
  - Tags 544-9
  - Text / live search 550-3
- finally (error handling) 480-1
- Final parentheses 97
- .find() (jQuery method) 336-7, 518-9, 564-5
- Firebug 237
- firstChild (DOM property) 188-9, 208-9, 211
- Flags 578-9
- floor() (Math object) 134-5, 139
- Flowcharts 18, 23, 148, 494
- fn object (jQuery) 523-5
- focus() (DOM method) 273, 573
- .focus() (jQuery method) 326, 619
- :focus (jQuery selector) 342

focus event 274-5, 282, 573, 588-9  
focusin event 247  
focusout event 247  
forEach() (array object) 530, 536-7, 542-3  
for loop 172-3, 175, 207

## Forms

Controls (types of) 573  
  Changing type of form control 576-7  
  Checkboxes 580-1  
  Date picker (HTML5) 591  
  Date picker (jQuery) 432-3, 619-9  
  Email 590, 611  
  Radio buttons 582-3  
  Range inputs 591  
  Select boxes 584-7  
  Submit button 578-9  
  Text input 576-7, 594-5  
  Textareas 588-9

elements collection 600

## Enhancement

*Introduction to* 568

jQuery UI (Date picker & slider) 432-3

Password length and match 620-1

Show or hide based on other form input 618-9

Giving focus to an element 273, 326, 573, 619

Methods 343, 572-3, 584

Properties 343, 572-3, 584

Submitting forms 574-5, 578-9

Validation 282, 598-619

*Introduction to* 568, 598

Age 617-9

Character count 588-9

Checkbox selected 580-1

Checking for a value 606-7

Checking length of text input 615

Dates 617-9

Email 611

HTML5 form validation 590-1, 604-5

Length of text/password input 588-9, 620-1

Numbers 132, 343

Password length and match 615

Radio button selected 582-3

Regular expressions 612-3

Required elements 606-7

test() and regular expressions 611-3

Turn off HTML5 validation 591

URL 590

Which element the user interacted with 576-7

(see also Event object)

forward() (history object) 426

Function-level scope 98

## Functions

*Introduction to* 88-9

Anonymous functions 88

Arguments 92-3

Calling 91, 93

Code block 90

Declaring 90, 92, 96

Final parentheses 97

Function expressions 96-7

Helper functions 570-571

initialize / init() 539, 542-3

Parameters 88, 92-3

return 92, 94-7, 578-9, 586-7, 594-5

this (scope of keyword) 270

(see also this keyword)

## G

Geolocation API 416-9

\$.get() (jQuery method) 388, 392-3

getAttribute() (DOM method) 232-3

getCurrentPosition() (Geolocation API) 417-9

getDate() (Date object) 137

getDay() (Date object) 137

getElementById() (DOM method) 126, 192-5

getElementsByClassName() (DOM method) 193,  
197, 200

getElementsByTagName() (DOM method) 193, 197,  
201, 240

getFullYear() (Date object) 137-8

getHours() (Date object) 137

getItem() (storage API) 421-3

\$.getJSON() (jQuery method) 388, 392, 396-7, 405

getMilliseconds() (Date object) 137

getMinutes() (Date object) 137

getMonth() (Date object) 137

\$.getScript() (jQuery method) 388, 392

getSeconds() (Date object) 137

getTime() (Date object) 137

getTimezoneOffset() (Date object) 137

## Global JavaScript Objects

*Introduction to* 121, 124-139

Boolean object 123

Date object 123, 136-9

Math object 123, 134-5

Number object 123, 132-3

Regex object 123

String object 123, 128-130

Global scope 98

go() (history object) 426

Google Maps API 441-7

Grouping operator 97

:gt() (jQuery selector) 340-1

## H

:has() (jQuery selector) 338-9

hasAttribute() (DOM method) 232-3, 235

.hasClass() (jQuery method) 365

hashchange event 286, 426-7

.height() (jQuery methods) 348-9, 350, 353

height (screen object) 124-5

Helper functions 570-571

.hide() (jQuery method) 332-3, 512-3, 582-3, 618-9

History API 424-7

history object (Browser Object Model) 124-5, 424-7

Methods

back(), forward(), go(),

pushState(), replaceState() 426

Properties

length 426

History stack 424

Hoisting 456

How many characters in a string 128-130

.html() (jQuery method) 314-7

HTML5

APIs 413

Geolocation API 416-9

History API 424-7

Web Storage API 420-3

Attributes

data-\* attributes 289-90, 544-6, 608

required 591, 607

Events 286-7

Form controls (support, polyfills, styling) 590-2

placeholder fallback 594-7

## I

id (DOM property) 189, 232

if...else 148-9, 162-3

if statements 148-9, 160-3, 181

:image (jQuery selector) 342

Images centering 511

Immediately Invoked Function Expressions (IIFE) 97, 142, 504, 523

Implicit iteration 310

Increment in loops 170-3

.index() (jQuery method) 565

Index numbers 129

indexOf() (String object) 128-130, 550-3

Initialize / init() (functions) 539, 542-3

Inline scripts 49

.innerHeight() (jQuery methods) 348

innerHeight (window object) 124-5

innerHTML (DOM property) 218, 220-1, 227  
Security risks 228

innerText (DOM property) 216-7

.innerWidth() (jQuery methods) 348

innerWidth (window object) 124-5

:input (jQuery selector) 342

input event 247, 271, 280-2, 552-3, 573, 588-9

insertBefore() (DOM method) 240

Instances (of objects) 109-11

Interpreter

Definition 40

How it works 452-7

.is() (jQuery method) 343, 521, 565

isNaN() (Number object) 132

\$.isNumeric() 343

item() (Array) 71

item() (NodeLists) 196, 198

## J

JavaScript console 462-79

JavaScript History / Standards 532

JavaScript libraries 360-1, 428

JavaScript not enabled 491

jQuery

*Introduction to* 294, 296, 298-9

\$( ) shortcut for jQuery() 296, 299, 313, 361

\$(function() { ... }); 313

Advantages 300

Ajax (see Ajax)



- API 358
- Caching selections 308-9
- Chaining methods 311
- Conflicts with other scripts 361
- `document.ready()` 312-13
- Documentation 358
- Elements 302-3, 314-6, 318-9, 336-9, 342-7
- Events object 326-331
- `.fn` object 523-5
- Forms (`.serialize()`) 394
- Global methods
  - `$.ajax()` 388, 398-9, 405
  - `$.get()` 388, 392-3
  - `$.getJSON()` 388, 392, 396-7, 405
  - `$.getScript()` 388
  - `$.isNumeric()` 343
  - `$.post()` 388, 394-5
- How to include 298, 354-5
- Implicit iteration 310
- `jQuery()` function (see also `$()`) 296, 299, 313, 361

### **jQuery methods: full list of methods** 304-5

- jQuery selection (matched set) 296-7, 306
  - Adding to / filtering selection 338-341
  - Caching 308-9
  - Number of elements (`length` property) 364
- jQuery selectors 296, 300, 302-3

### **jQuery Selectors: full list of selectors** 302-3

- jQuery UI 429
  - Accordion 430
  - Date picker 432-33, 618-9
  - Form enhancements 432-3
  - Tabs 431
- Looping
  - Through elements (implicit iteration) 310
  - Through elements `.each()` (see E > `.each()`)
- Matched set (see J > jQuery > jQuery selection)
- Page is ready to work with 312-3
- Plugins 359, 428
  - Creating your own 522-5
  - Date picker 619
  - jQuery UI 429-434, 618-9
  - `noUISlider` 538
- Versions 298, 301
- Where to get / download 298, 354-5

- Where to place script 313, 354-7
- `jqXHR` object 389, 405
  - Methods
    - `.abort()`, `.always()`,  
`.done()`, `.fail()` 389, 396-7
    - `.overrideMimeType()` 405
  - Properties
    - `responseText`, `responseXML`,  
`status`, `statusText` 389
- JSON
  - Introduction to 376-7
  - As an Ajax data format 374
  - Debugging JSON 474
  - Displaying JSON 382-3
  - JSON object
    - `parse()` & `stringify()` methods 377, 382-3
    - Serializing and deserializing data 382-3
- JSONP 385-7

## K

- Keyboard events 246-7, 280-1
- `keydown`, `keypress`, `keyup`, input event 246-7
- keys (objects) 101, 533, key/value pairs 118
- Keywords
  - `break` 164-5, 174
  - `case` 164-5
  - `catch` 480-1, 576-7
  - `continue` 174, 595
  - `debugger` 479
  - `delete` 107, 112, 533
  - `finally` 480-1
  - `new` (array) 71
  - `new` (object) 106, 109
  - `return` 92, 94-7, 578-9, 586-7, 594-5
  - `switch` 164-5
  - `this` 102-9, 114-5, 270, 324
  - `throw` 482
  - `try` 480-1, 576-7
  - `var` 60, 63-8

## L

- `lastChild` (DOM property) 208, 211
- `lastIndexOf()` (String object) 128-130
- `length` (history object) 124, 426
- `length` (items in a select box) 584
- `length` (String object) 128-130, 588-9, 620-1

- Length of text input 588-9
- Lexical scope 457
- Lexicographic sort 554
- Libraries 360-1, 428
- Linking to a JavaScript file 47, 51, 298, 313, 354-7
- Links
  - Get value of href attribute 407
  - Which link was clicked 498-9
- Literal notation 102, 104-5, 113, 142
  - (see also O > Objects > Creating your own objects)
- Livesthrough (autocomplete) 370
- Load event 246, 272-3, 286-7
- .load() (jQuery method - Ajax) 388, 390-1, 407
- Local scope 98-9 (see also p456-7)
- Locale 137
- localStorage 420-3
- Location property (window object) 124-5
- Logical operators 156-9, 169
  - Logical and 157-8, 537
  - Logical not 157, 159
  - Logical OR 157, 159
  - Short-circuit evaluation 157, 169
- Looking for text 550-3
- Loops
  - Introduction to 170-7
  - break keyword 174 (see also Keywords > break)
  - Conditions 170-3
  - continue keyword 174, 595
  - Counters 171-4, 181
  - do while loop 170, 177
  - for loop 175
    - Introduction to 170, 175
    - Diagram 172-3
    - Looping through elements 204-7
  - Increment (++) 171
  - Infinite loop 174
  - jQuery implicit iteration 310
  - jQuery .each() method 324
  - Looping through
    - an array 175, 530, 534-7, 542-3
    - checkboxes 580-1
    - DOM elements (nodeList) 204-7, 594-5
    - properties of an object 533, 605
    - radio buttons 582-3
  - Performance 174
  - while loop 170, 176, 181
- Lowercase 128-130
- :lt() (jQuery selector) 340

## M

- map() (array object) 530
- Maps (Google maps) 441-7
- Matched set (jQuery) 296-7, 306-9, 338-41, 364
- Math object 134-5
  - Methods
    - ceil(), floor(), random(), round(), sqrt() 134
  - Properties
    - PI 134
- Member operator 50, 103
- method property (DOM property - forms) 572
- Methods
  - Introduction to 32-3, 100-11
  - Calling a method 50, 103
- Minification (.min.js extension) 298
- Modal window 500-5
- Modernizr 414-5, 417, 419, 593, 596-7
- Module pattern 501
- mousedown, mousemove, mouseout, mouseover, mouseup event 246, 276-7
- multiple (DOM property - forms) 584
- Multiplication 76-7, 176-7, 181
- Mutation events 247, 284-5
- MVC / MV\* 360, 434-9

## N

- name (DOM property - forms) 572-3
- Name/value pairs 28, 88-9, 101, 113, 116-8, 131
- Naming conflicts (collisions) 97, 99, 361
- NaN 78, 132, 461, 483
- navigator object (Browser Object Model) 122, 414, 417-9
- new keyword 71, 106, 109
  - .next() (jQuery method) 336-7, 495
  - .nextAll() (jQuery method) 336
- nextSibling (DOM property) 208, 210, 214
- NodeLists 196-9
- Nodes (introduction to) 40, 186-7
- nodeValue (DOM property) 184, 214-5, 241
- No JavaScript 491
- Non-blocking processing 371
  - .not() (jQuery method) 338, 494-5, 531
  - :not() (jQuery selectors) 338-9
- noUiSlider 538, 542-3
- novalidate property (HTML5 forms) 591, 604-5

## Number object (Built-in Objects)

### Methods

`isNaN()`, `toExponential()`,  
`toFixed()`, `toPrecision()` 132-3  
Rounding numbers 132-3

## Numbers 62-3

Random numbers 135  
Rounding 132-3  
Sorting 558

Numeric data type 62 (*see also* D > Data types)

## O

## Objects

*Introduction to* 26-9, 34-5, 100-1

Accessing properties and methods

Dot notation 103-5, 110  
Square brackets 103, 107

Adding and removing properties 112

Arrays and objects 118-9, 308, 340, 533

Built-in objects 120-3

Creating

Comparison of techniques 113  
Constructor notation 106, 108-111, 113  
Literal notation 102, 104-5, 113, 142  
Instances of 109-11  
Multiple objects 105, 108-111

Creating your own objects (examples of)

Compare functions for sorting 562-3  
Custom object for valid elements 601, 604-5  
Data: cameras and projectors 586-7  
Data: people for filtering 533-4  
Image cache 509-13  
Modal window 501-5  
Tags 544-9

keys 101-2, 113, 117-8, 131, 533

Methods 32-5, 38-9, 100-11

Properties 28-9, 34-5, 100-12

`this` 114-5

Updating properties 107

vs variables and arrays 116-7

Object models (*introduction to*) 121

`.off()` (jQuery method) 505

`.offset()` (jQuery methods) 351, 353

`.on()` (jQuery method) 326-31, 343-5, 365

`onpopstate` property (window object) 426-7

`.open()` (XMLHttpRequest object) 373, 379, 381, 383

## Operators

`+=` adding to a string 111, 125, 127, 130, 133

Comparison operators 148-56

`>` greater than, `>=` greater than or equal to 151-5  
`()` grouping operator 97

`<` less than, `<=` less than or equal to 151

`.` Member operator 50, 103

`==` is equal to, `!=` is not equal to 150

`===` strict equal to, `!==` strict not equal to 150

`?:` Ternary operator 562, 579, 583

Unary operator 168

`<option>` elements 584-7

`options` (DOM property - forms) 584

Order of execution 452

`.outerHeight()`, (jQuery method) 348

`.outerWidth()` (jQuery method) 348

`.overrideMimeType()` (jqXHR method) 405

## P

Page loads - run script 273, 312-3

`pageXOffset`, `pageYOffset` (window object) 124-5

`pageX`, `pageY` (window object) 124, 278-9

Parameters 50, 88, 92-3

With event listeners 256-7

`.parent()` (jQuery method) 336, 498-9

`.parents()` (jQuery method) 336

`parentNode` (DOM property) 208, 224-5

`:password` (jQuery selector) 342

paste event 247

Performance

Caching

DOM queries 190-1, 575

Images (custom object) 509-11

jQuery selections 308-9, 540-1

Object references 540-1

Text (custom object) 551

Event delegation 266, 268-71, 290-1, 330-1, 365

Global vs Local variables 98-9

Selecting `class` and `id` attributes (jQuery vs DOM) 324

Where to place scripts 356-7

PI property (Math object) 134

`placeholder` (and its fallback) 590-1, 594-5

Polyfills 593-7

`pop()` (array object) 530

`.position()` (jQuery method) 351

- Position object (geolocation API) 418-9
- PositionError object (geolocation API) 418-9
- Position of items on page 351-3
- \$.post() (jQuery method) 388, 392, 394-6
- .prepend() & .prependTo() (jQuery methods) 318
- Presentation layer 44
- preventDefault() (event object) 262, 267, 283,
- .preventDefault() (jQuery method) 328, 345, 365, 494-5, 504-5
- previousSibling (DOM property) 208-10
- Primitive data types (see Data types)
- Progressive enhancement 45
- .prop() (jQuery method) 618-9
- Properties 28-9, 34-5, 100-12
- Protocol relative URL 355
- Proxy (Ajax) 384
- push() (array object) 519, 530, 536-7, 540, 542-3
- pushState() (history object) 424-7, 426

## Q

- querySelector() (DOM method) 193-6, 202, 241
- querySelectorAll() (DOM method) 126, 193, 197

## R

- :radio (jQuery selector) 342
- random() (Math object) 134-5
- Random numbers 135
- RangeError 459, 461
- Range slider 432-3, 538, 542-3
- .ready() (jQuery method) 312-3, 361, 364
- Reference
  - To an element DOM 190-1, 575
  - To an element jQuery 308-9, 540-1
  - To an object 540-1
- ReferenceError 459-60
- Regular expressions 563, 611-3
- Relative URLs (Ajax) 389
- Removing content:
  - .remove() (jQuery method) 299, 316-7, 346, 584
  - .removeAttr() (jQuery method) 320
  - removeAttribute() (DOM method) 232, 235
  - removeChild() (DOM method) 224-5
  - .removeClass() (jQuery method) 320-1, 339, 341, 512-3
  - removeEventListener() (DOM method) 255 (see also innerHTML and detach())

- replace() (String object) 128-130, 406-7, 562-3
- replaceState() method (history object) 424-6
- .replaceWith() (jQuery method) 316
- Require.js 593
- :reset (jQuery selector) 342
- reset() (DOM method - forms) 572
- reset event 247, 572
- resize event 246, 272, 504-5
- responseText (XMLHttpRequest object) 379, 383, 389
- responseXML (XMLHttpRequest object) 380, 389
- return keyword 92, 94-7, 578-9, 586-7, 594-5
- reverse() (Array object) 530, 564-5
- RangeError 459, 461
- Rounding numbers 132-5
- round() (Math object) 134

## S

- Same origin policy 420
- Saving a script 46
- Scope 98-9, 457
  - Global scope 98-9, 453-7
  - IIFEs 97
  - Lexical scope 457
  - Local (function-level) scope 98-9, 453
  - Naming collisions and namespaces 99, 523
- Screen dimensions 124-125, 278, 350
- screen object (Browser Object Model) 124-5
  - Properties
    - height, width 124
    - screenX, screenY (window object) 124, 278
- <script> element 47
  - Conditional loader for scripts 596-597
  - When to load 596-7
  - Where to place <script> tag 48, 51, 313, 354-7
- Scripts
  - Approach to writing 16-23
  - Definition 14-7
- scroll event 246, 272
- .scrollLeft() (jQuery method) 350
- .scrollTop() (jQuery method) 350, 353
- Search 550-553
- Security: Cross Site Scripting (CSS) Attack 228-231
- Select boxes 584-7
- select() (DOM method) 573
- :selected (jQuery selector) 342
- selected (DOM property - forms) 573, 580-3
- selectedIndex (DOM property - forms) 584

- selectedOptions (DOM property - forms) 584
- select event 247
- send() (XMLHttpRequest object) 373, 379, 381, 383
- Separation of concerns 490
- .serialize() (jQuery method - forms) 394-5
- Serializing JSON data 382
- sessionStorage 420-3
- setAttribute() (DOM method) 232, 234
- setDate() (Date object) 137
- setFullYear() (Date object) 137
- setHours() (Date object) 137
- setItem() (storage API) 421-3
- setTime() (Date object) 137
- setTimeout() (window object) 517-9
- setMilliseconds() (Date object) 137
- setMinutes() (Date object) 137
- setMonth() (Date object) 137
- setSeconds() (Date object) 137
- shift() (array object) 530
- Short-circuit evaluation 157, 169
- .show() (jQuery method) 332-3, 344, 364
- .siblings() (jQuery method) 336, 548-9
- Slider (content panel) 515-520
- .slideToggle() (jQuery method) 494-5
- some() (array object) 530
- sort() (array object) 530, 533, 554-65
- Sorting 555-6
  - Dates 559
  - Lexicographic sort 554
  - Numbers 554, 558
  - Random order 558
  - Sorting a table 561-6
- split() (String object) 128-130, 546-7, 563, 618-9
- sqrt() (Math object) 134
- src attribute 47
- Stack 454-5
- Statements 56
  - .stop() (jQuery method) 332, 353, 510-1
  - stopPropagation() (DOM event object) 262, 267
  - .stopPropagation() (jQuery method) 328
- Storage objects (storage API) 420-3
- Storing data (compare techniques) 116-7
- String data type 62, 64-5
  - Checking for text 552-3

- String object
  - Methods
    - charAt(), indexOf(), lastIndexOf(), replace(), split(), substring(), trim(), toLowerCase(), toUpperCase() 128-130
  - Properties
    - length 128-130
- :submit (jQuery selector) 342
- submit() (DOM method - forms) 572
- Submit buttons 578-9
- submit event 247, 271, 282, 572
- substring() (String object) 128-130
- .complete() (jQuery method) 396
- .error() (jQuery method) 396
- .success() (jQuery method) 396
- switch statements 164-165, 291
- Switch value 165
- Synchronous processing 371
- SyntaxError 459-460

## T

- Tables
  - Adding rows 542-3
  - Sorting a table 560-5
- .tabs() (jQuery UI method) 431
- Tabs 431, 496-9
- target property (event object) 262-3, 268-9
- Templates 360, 434-9
- Ternary operator 562-3, 579, 583
- Testing for features (see Feature detection)
- test() method 611
- .text() (jQuery method) 314-7, 364-5, 535
- :text (jQuery selector) 342
- <textarea> 588-9
- textContent (DOM property) 216-7
- this 102-9, 114-5, 270, 324
- throw (error handling) 481-3
- Timers (see Delays)
- .toArray() (jQuery method) 531
- toDate() (Date object) 137
- toExponential() (Number object) 132
- toFixed() (Number object) 132
- .toggle() (jQuery method) 332, 493
- .toggleClass() (jQuery method) 565
- toLowerCase() (String object) 128-130, 550-3
- toPrecision() (Number object) 132
- toString() (Date object) 137

- `toTimeString()` (Date object) 137
- `toUpperCase()` (String object) 128-130, 406
- Traversing the DOM 208-11
- `trim()` (String object) 128-130, 552-3
- Troubleshooting
  - Ajax not working in Chrome (locally) 378
  - Ajax requests: assets not showing up 389
  - Common errors 485 (see *also* 460-1)
  - Console 464-474
  - Debugging JSON data and objects 474
  - Debugging tips 462-3, 484
  - Equivalent values do not match 166
  - Events firing more than once 260-1
  - IE will not run script locally 47
  - jQuery object only returns data from first element in selection 307
  - NaN 78, 461
  - `try... catch` 480-1, 576-7
- Truthy and falsy values 167-9
- `try` (error handling) 480-1, 576-7
- `type` (DOM property - forms) 573
- `type` (event object) 262
- Type coercion 166, 168
- `TypeError` 459, 461

## U

- UML (Unified Modeling Language) 494
- `undefined` 61, 485
- Unix time 136-7
- `unload` event 246, 272 (see *also* `beforeunload`)
- `unshift()` (array object) 530
- Untrusted data (XSS) 228-31
- `.unwrap()` (jQuery method) 346
- Updating content (see DOM and jQuery)
- Updating page without refreshing (see Ajax)
- Uppercase 128-130, 406
- `URIError` 459-460
- URL (get current) 36-9, 124

## V

- `.val()` (jQuery method) 343, 345, 365, 542-3
- Validation (definition) 282, 568
- `value` (DOM property - forms) 573, 574-5, 578-9

## Variables

- Assign a value / assignment operator 61
- Declaration 60
- Definition 58-9
- Naming 60, 69
- Naming conflicts and collisions 97, 99
- Scope 98, 453
- `undefined` 61, 485
- vs arrays and objects 116-7
- `var` keyword 60, 63-8

## W

- Weak typing 166-7
- Web Storage API 420-3
- Where to place your scripts 356
- `while` loop 170, 176, 181
- Whitespace (DOM) 209-211, 237
- `width` (screen object) 124-5
- `.width()` (jQuery methods) 348-50
- `window` object (Browser Object Model) 36-7, 124-5
  - Introduction to* 36-7
  - Methods
    - `alert()`, `open()`, `print()` 124
  - Properties
    - `innerHeight`, `innerWidth` 124-5
    - Location property 36, 124
    - `onpopstate` 426
    - `pageXOffset`, `pageYOffset` 124
    - `screenX`, `screenY` 124-5
- `write()` (document object) 126, 226

## XYZ

- `XDomainRequest` object (IE8-9) 384
- XML 374-5, 380-81
- `XMLHttpRequest` object
  - Methods
    - `open()`, `send()` 372-3
  - Properties
    - `responseText` 379, 383, 389
    - `responseXML` 380-2, 389
    - `status` 373, 378-9, 389
- XSS (Cross Site Scripting) Attacks 228-231